

AR LIVE STORAGE PAL

LIVE STORAGE PALLET RACKING



AR LIVE STORAGE (PAL) I LIVE STORAGE PALLET RACKING

The AR LIVE STORAGE dynamic pallet racking system is a compact structure with a slight incline and roller conveyors that allow palletised products to slide freely.

AR LIVE STORAGE is the perfect high-density storage system for homogeneous pallets. The system also allows you to work with the FIFO (first-in, first-out) system in a simple and in an orderly manner.

Loaded pallets enter the structure on one end and move securely along the roller conveyors at a controlled speed, moved only by the force of gravity, until they reach the other end, ready for removal.

The movement of the load units in the AR LIVE STORAGE (PAL) system is absolutely secure since the structure is equipped with a series of technical and organisational measures for control and protection.



ADVANTAGES

- · **OPTIMAL USE OF SPACE.** High-density storage system, so more storage capacity in the same space.
- · **IDEAL PRODUCT ROTATION:** Perfect for FIFO systems (First-In, First-Out).
- FAST, SIMPLE REMOVAL. Ideal positioning of the products reduces load manoeuvre and extraction times.
- **NO TRAFFIC INTERFERENCE.** The forklift trucks insert and remove load units in different aisles since the loading and unloading aisles are separate.
- **EXTREMELY SAFE.** The structure is fitted with a control and braking system to minimise any risks: brake rollers, pallet centring or retainer system, and pallet stops.


- IMPROVED STOCK CONTROL since each loading aisle has a single product reference.
- · ADAPTABLE to any space, and to any weight or size of the merchandise to be stored.
- **COMPATIBLE** with other automatic and conventional storage systems.
- · Allows you to continue to use the same type of **FORKLIFT TRUCKS** used in **CONVENTIONAL PALLET** warehouses.
- **REDUCED OPERATING COSTS** thanks to excellent use of space.
- The uprights and frames of the AR range are **PRE-GALVANISED.**



COMPONENTS

The AR LIVE STORAGE (PAL) system has a basic structure of frames, uprights and dynamic profiles, similar to other storage systems in the AR Racking range.

Together with the basic structure, this dynamic racking system also includes a large variety of specific elements for safe, controlled displacement of the load units.



OTHER DESIGN OPTIONS

PUSH-BACK MANAGEMENT (LIFO)

A pushback system based on LIFO (last in-first out) warehouse management can also be installed. The main difference is that only one aisle is used for work as loading and unloading take place in the same area.



SPLIT ROLLERS

Split rollers can be installed in the loading and unloading areas of dynamic racking systems to simplify the work of forklift and pallet trucks. They also prevent roller damage.



FOLDING ROLLERS

The folding roller system allows roller conveyors to be moved and raised for cleaning and maintenance, and to access the warehouse floor, all this while maintaining the same technical characteristics and system operation.



FLOOR LEVEL PICK-UP

Sometimes warehouses with dynamic racking systems need the load units to be picked up at ground level. To simplify this operation, a special pallet output area can be added.





AR SHUTTLE



MULTI TIER



LIVE STORAGE



AR DRIVE IN



AUTOMATED WAREHOUSE



CLAD RACK BUILDING



AR LS



AR MOBILE



AR PAL

AR RACKING S.A.

(+44 (0) 1628 421 825







AR Racking UK:

No. 1 Bell Street Tel. +44 (0) 1628 421 825 Fax +44 (0) 1628 421 500 www.ar-racking.co.uk

AR Racking France:

43, rue Jean-Pierre Plicque 77124 Villenoy - Paris Tel. +33 970 912 9<u>6</u>7 Fax +33 957 444 320 wwww.ar-racking.fr

AR Racking Colombia:

Km 19 Av. Troncal de Occidente vía Mosquera-Madrid, Bod. 50 Parque Industrial San Jorge Mosquera, Colombia Tel. +(57) 3173313809 www.ar-racking.co

Head Office & Technological Centre:

Parque Tecnológico de Bizkaia Edificio 105 - 1A 48170 Zamudio (Bizkaia) Spain Tel. +34 944 317 941 Fax +34 944 317 838

AR Racking Germany:

Industriestraße 11 55593 Rüdesheim Tel. +49 671 92034253 www.ar-racking.de

AR Racking Peru:

Calle Las Orquídeas 585 – Piso 13 Edificio Fibra – San Isidro, Lima Tel. +51 1 712 3911 www.ar-racking.pe

Production centre:

Pol. Ind. Montes de Cierzo, Autovía A68, KM 86 31500 Tudela (Navarra) Spain Tel. +34 948 844 480 Fax +34 948 844 420

AR Racking Chile:

Calle Puerto Madero 9710 Piso 3°, Oficina A-379 Pudahuel, Santiago Tel. +56 (2) 2993 4003 www.ar-racking.cl